




2024 Dealer Program





ICONIC SPAS

Dive into a world of unparalleled luxury and immerse yourself in the new Iconic Series. These spas set themselves apart from the crowd of ordinary spas in the market. Designed to elevate your experience, the Iconic Series embodies a fusion of exquisite craftsmanship, a modern aesthetic, cutting-edge features, and an unmatched commitment to excellence. With built-in ULTRASTRONG® cover lift technology and our exclusive, patented DURA-SHIELD® HardCover, we've dismantled spa cover struggles to further enhance the stress-reducing benefits of your spa investment.



HYDROPOD™

HIGH-PERFORMANCE HYDROTHERAPY

Iconic's HYDROPOD™ individualized massage pods offer customizable massage via deep tissue rotational jets and acupressure patterns. Centralized trunklines significantly reduce shell perforations resulting in a significant reduction in plumbing and leak potential.

VECTOR AIR®

INDIVIDUAL AIR CONTROL SYSTEM

- Proprietary individualized air control
- Warm Air Draw (spa cabinet)
- Increased efficiency vs cold ambient air systems
- Continues to work at all water level heights

DURA-BASE®

INDUSTRY'S THICKEST AND STRONGEST BASE INTEGRATED WITH OUR GALVANIZED STEEL FRAME

Engineered to be superior from the ground up, an industrial-grade galvanized steel frame is integrated into our patented DURA-BASE. Impermeable and pest-resistant, DURA-BASE creates a thermal barrier and provides even load distribution. Only minimal site preparation is required.

DURA-SHIELD® HardCover

EXCLUSIVE, PATENTED AND GUARANTEED

Strong Spas' innovative, patented, integrated cover technology is our legacy and crowning achievement. Robust, stainless steel hardware anchors our DURA-SHIELD® HardCover with integrated ULTRASTRONG® Manual Lifter System. This cover is so easy to open and close it is the solution to all spa cover worries.



ICONIC® SERIES	91L	91NL	85L	85NL
Spa Body Dimensions WxLxH (inches)	91x91x36	91x91x36	85x85x36	85x85x36
Dry Weight	763 lbs.	767 lbs.	710 lbs.	715 lbs.
Filled Weight	4250 lbs.	4025 lbs.	3525 lbs.	3460 lbs.
Seating	6	6	5	6
HYDROPOD™ Hydrotherapy Units	3: BLACK	4: BLACK	3: BLACK	4: BLACK
Maximum Jets available	106 Jets	119 Jets	87 Jets	100 Jets
Lounger Seat	1	N/A	1	N/A
Cool-Down Seat	1	1	1	1
Entry Step	1	1	1	1
Water Capacity	Approx. 418 USG	Approx. 390 USG	Approx. 337 USG	Approx. 331 USG
High-Efficiency Energy-Saver Pump	212GPM / Dual-Speed 56 Frame / 5.0BHP	212GPM / Dual-Speed 56 Frame / 5.0BHP	212GPM / Dual-Speed 56 Frame / 5.0BHP	212GPM / Dual-Speed 56 Frame / 5.0BHP
High-Output Secondary Pump	212GPM / Single-Speed 56 Frame / 5.0BHP	212GPM / Single-Speed 56 Frame / 5.0BHP	212GPM / Single-Speed 56 Frame / 5.0BHP	212GPM / Single-Speed 56 Frame / 5.0BHP
Diverter	2	2	2	2
Stainless Steel True Heater	4kW	4kW	4kW	4kW
Operating Voltage	240V	240V	240V	240V
STRONGTOUCH™ Full-Color Capacitive Touchscreen	Standard	Standard	Standard	Standard
Triple LED Water Feature	Standard	Standard	Standard	Standard
Whirlpool Jet	1	1	1	1
Vector Air® Individualized Controls	3	4	3	4
Filtration, Telescopic Floating Weir	50 sq ft	50 sq ft	50 sq ft	50 sq ft
Active Flo Self-Cleaning	Standard	Standard	Standard	Standard
EnergyLok Thermal Insulating System	Standard	Standard	Standard	Standard
Industrial-Strength Galvanized Steel Frame	Standard	Standard	Standard	Standard
DURA-BASE® Foundation	Standard	Standard	Standard	Standard
Hardware-Free Cabinets: • Weathered • White Sands • Deep Woods • New Coastal	Standard	Standard	Standard	Standard
Iconic-Bond Shell in 4 Color Options • Sterling Silver • Tuscan Sun • Storm Clouds • Midnight Canyon	Standard	Standard	Standard	Standard
Vertical Illumination Exterior LED Package	Standard	Standard	Standard	Standard
Interior LED Package	Controls + Cup Holders + Underwater LED	Controls + Cup Holders + Underwater LED	Controls + Cup Holders + Underwater LED	Controls + Cup Holders + Underwater LED
Whisper Quiet Sound Insulation	Standard	Standard	Standard	Standard
UV/Ozone Dual Sanitation System	Standard	Standard	Standard	Standard
DURA-SHIELD® HardCover (Manual) with Stainless Steel Integrated ULTRASTRONG™ Cover Lift	Standard	Standard	Standard	Standard
Premium Sound System: 4 Transducers + 2 Shell Speakers, Bluetooth-Ready	Optional	Optional	Optional	Optional
WIFI Module	Optional	Optional	Optional	Optional



PREMIUM SPAS

The innovation that put Strong Spas on the map. Engineered for strength and thermal efficiency, the Premium line features our patented dual-walled resin DURA-LAST® Cabinet, patented DURA-SHIELD® HardCover and ingenious, integrated foldaway step & towel holder feature. Simply legendary!

Featuring Strong's Exclusive Patented DURA-LAST® Cabinet System with a Lifetime Warranty!

A simple repair can be costly when spa components are buried in foam insulation. Imagine a car with the hood welded shut! Strong's acrylic spas afford easy 360° access for routine maintenance by providing energy-efficient perimeter insulation options, including our patented, dual-walled DURA-LAST® cabinet system.

- Insulated dual-walled construction. Proprietary foam insulation is sealed between resin walls, meaning easy access to spa components!
- Pump heat recycled/reused within cabinet air space for energy savings!
- Passed the rigorous California Energy Commission (CEC) Efficiency Test
- Integrated dual-walled DURA-BASE® is up to 10x thicker than standard bases.



DURA-SHIELD® HardCover EXCLUSIVE, PATENTED AND GUARANTEED

Strong Spas' innovative, patented, integrated cover technology is our legacy and crowning achievement. Robust, stainless steel hardware anchors our DURA-SHIELD® HardCover with integrated ULTRASTRONG® Manual Lifter System. This cover is so easy to open and close it is the solution to all spa cover worries.



PREMIUM™ SERIES	MADRID	VIENNA
Spa Body Dimensions WxLxH (inches)	91x91x36	91x91x36
Dry Weight	950 lbs.	950 lbs.
Filled Weight	4,294 lbs.	4,294 lbs.
Seating	5-6	6-7
Jets	60 Jets	60 Jets
Lounger Seat	1	N/A
Cool-Down Seat	1	1
Entry Step	Yes	Yes
Water Capacity	Approx. 400 USG	Approx. 400 USG
High-Efficiency Pump 1	5BHP Single-Speed	5BHP Single-Speed
High-Efficiency Pump 2	5BHP Single-Speed	5BHP Single-Speed
Circulation Pump	Standard	Standard
Diverter	2	2
Stainless Steel True Heater	4kW	4kW
Operating Voltage	240V	240V
STRONGTOUCH™ Full-Color Capacitive Touchscreen	Standard	Standard
Large, LED Molded Waterfall	Standard	Standard
Double LED Water Feature	Standard	Standard
Jumbo Foot Jet	1	1
Filtration, Telescopic Floating Weir	50 sq ft	50 sq ft
EnergyLok Thermal Insulating System	Standard	Standard
Foldaway Integrated Steps and Towel Holder	Standard	Standard
DURA-LAST® Resin Dual-Walled Cabinet <ul style="list-style-type: none"> • Millstone • Gray Granite • Cobblestone 	Standard	Standard
Strong-Bond Shell in 4 Color Options <ul style="list-style-type: none"> • Sterling Silver • Storm Clouds • Tuscan Sun • Midnight Canyon 	Standard	Standard
DURA-BASE® Foundation	Standard	Standard
Interior LED Package	Underwater LED + LED Controls + Cabinet LEDs	Underwater LED + LED Controls + Cabinet LEDs
UV/Ozone Dual Sanitation System	Standard	Standard
Matching Resin DURA-SHIELD® HardCover (Manual) with Integrated ULTRA STRONG™ Cover Lift	Standard	Standard
Sound System: Bluetooth-Ready, Subwoofer, 2 Shell Speakers	Optional	Optional
WIFI Module	Optional	Optional



SUMMIT SPAS

Experience the full-featured, versatile Summit Series from Strong Spas. An updated, sleek aesthetic pairs well with our tried-and-true Summit interiors and engineering to cover a wide range of customer demands. With built-in ULTRASTRONG® cover lift technology and our exclusive, patented DURA-SHIELD® HardCover, we've dismantled spa cover struggles to further enhance the stress-reducing benefits of your spa investment.

DURA-BASE®

INDUSTRY'S THICKEST AND STRONGEST BASE INTEGRATED WITH OUR GALVANIZED STEEL FRAME
Engineered to be superior from the ground up, an industrial-grade galvanized steel frame is integrated into our patented DURA-BASE. Impermeable and pest-resistant, DURA-BASE creates a thermal barrier and provides even load distribution. Only minimal site preparation is required.

DURA-SHIELD® HardCover

EXCLUSIVE, PATENTED AND GUARANTEED
Strong Spas' innovative, patented, integrated cover technology is our legacy and crowning achievement. Robust, stainless steel hardware anchors our DURA-SHIELD® HardCover with integrated ULTRASTRONG® Manual Lifter System. This cover is so easy to open and close it is the solution to all spa cover worries.

UV/O3 SANITATION

By exposing ozone-infused water to UV, you'll enjoy a better clean that is one million times faster than traditional oxidizers. This all-natural antibacterial spa cleaning method eliminates chemical by-products.

STRONG-BOND® SPA SHELLS

- One of the industry's strongest and thickest triple-layered shell designs
- Co-extruded ABS laminate allows for better color consistency and dramatic reduction in delamination
- No roll-out air pocket issues
- Strong tensile strength (sag resistance)
- Exothermal adhesion of rigidizing layer
- Environmentally-friendly process
- Employee health friendly vs fiberglass which emits toxic VOCs
- Styrene-Free!



SUMMIT™ SERIES	DE-SL60 / DE-S60	DE-SL50 / DE-S50	DE-SL40 / DE-S40
Spa Body Dimensions WxLxH (inches)	91x91x36	85x85x36	74x74x36
Dry Weight	950 lbs.	900 lbs.	600 lbs.
Filled Weight	4963 lbs.	4244 lbs.	3108 lbs.
Seats	6-7	5-6	5-6
Jets	60 Jets	50 Jets	40 Jets
Seating	Single-Lounger or Non-Lounger	Single-Lounger or Non-Lounger	Single-Lounger or Non-Lounger
Cool-Down Seat	1	1	1
Entry Step	Yes	Yes	Yes
Water Capacity	Approx. 480 USG	Approx. 400 USG	Approx. 300 USG
High-Efficiency Pump 1	5BHP Single-Speed	5BHP Single-Speed	5BHP Single-Speed
High-Efficiency Pump 2	5BHP Single-Speed	5BHP Single-Speed	NA
Circulation Pump	Standard	Standard	Standard
Stainless Steel True Heater	4kW	4kW	4kW
Operating Voltage	240V	240V	240V
STRONGTOUCH™ Full-Color Capacitive Touchscreen	Standard	Standard	Standard
LED Water Column Feature	Triple	Triple	Double
Filtration, Telescopic Floating Weir	50 sq ft	50 sq ft	50 sq ft
Whisper Quiet Sound Insulation	Standard	Standard	Standard
Industrial-Strength Galvanized Steel Frame	Standard	Standard	Standard
DURA-BASE® Foundation	Standard	Standard	Standard
Hardware-Free Cabinets: <ul style="list-style-type: none"> • Weathered • Deep Woods • White Sands • New Coastal 	Standard	Standard	Standard
Strong-Bond Shell in 4 Color Options <ul style="list-style-type: none"> • Sterling Silver • Storm Clouds • Tuscan Sun • Midnight Canyon 	Standard	Standard	Standard
Vertical Illumination Exterior LED Package	Standard	Standard	Standard
Interior LED Package	LED Headrests + Underwater LED + LED Controls + LED Cup Holders + Cabinet LEDs	LED Headrests + Underwater LED + LED Controls + LED Cup Holders + Cabinet LEDs	LED Headrests + Underwater LED + LED Controls + LED Cup Holders + Cabinet LEDs
UV/Ozone Dual Sanitation System	Standard	Standard	Standard
DURA-SHIELD® HardCover (Manual) with Stainless Steel Integrated ULTRA-STRONG™ Cover Lift	Standard	Standard	Standard
Premium Sound System: 4 Transducers + 2 Shell Speakers, Bluetooth-Ready	Optional	Optional	Optional
WiFi Module	Optional	Optional	Optional



ASCENT SPAS

All the luxury, but with a softer silhouette, the Ascent Series from Strong Spas features our Extreme Performance Fabric Cover with built-in ULTRASTRONG® cover lift technology. Oversized and engineered for supreme energy-efficiency, this cover further enhances the stress-reducing benefits of your spa investment. So easy to open and close, no other soft cover can compare.

EXTREME PERFORMANCE FABRIC COVER WITH ULTRASTRONG® MANUAL LIFTER SYSTEM

Strong Spas' innovative, patented, integrated cover technology is our legacy and crowning achievement. Robust, stainless steel hardware anchors our Extreme Performance Fabric Cover with integrated ULTRASTRONG® Manual Lifter System. This cover is so easy to open and close it is the solution to all spa cover worries.

DURA-BASE®

INDUSTRY'S THICKEST AND STRONGEST BASE INTEGRATED WITH OUR GALVANIZED STEEL FRAME

Engineered to be superior from the ground up, an industrial-grade galvanized steel frame is integrated into our patented DURA-BASE. Impermeable and pest-resistant, DURA-BASE creates a thermal barrier and provides even load distribution. Only minimal site preparation is required.

UV/O3 SANITATION

By exposing ozone-infused water to UV, you'll enjoy a better clean that is one million times faster than traditional oxidizers. This all-natural antibacterial spa cleaning method eliminates chemical by-products.

STRONG-BOND® SPA SHELLS

- One of the industry's strongest and thickest triple-layered shell designs
- Co-extruded ABS laminate allows for better color consistency and dramatic reduction in delamination
- No roll-out air pocket issues
- Strong tensile strength (sag resistance)
- Exothermal adhesion of rigidizing layer
- Environmentally-friendly process
- Employee health friendly vs fiberglass which emits toxic VOCs
- Styrene-Free!



ASCENT™ SERIES	DE-AL60 / DE-A60	DE-AL50 / DE-A50	DE-AL40 / DE-A40	DE-AL30 / DE-A30
Spa Body Dimensions WxLxH (inches)	91x91x36	85x85x36	74x74x36	74x74x36
Dry Weight	950 lbs.	900 lbs.	600 lbs.	600 lbs.
Filled Weight	4963 lbs.	4244 lbs.	3108 lbs.	3108 lbs.
Seats	6-7	5-6	5-6	5-6
Jets	60 Jets	50 Jets	40 Jets	30 Jets
Seating	Single-Lounger or Non-Lounger	Single-Lounger or Non-Lounger	Single-Lounger or Non-Lounger	Single-Lounger or Non-Lounger
Cool-Down Seat	1	1	1	1
Entry Step	Yes	Yes	Yes	Yes
Water Capacity	Approx. 480 USG	Approx. 400 USG	Approx. 300 USG	Approx. 300 USG
High-Efficiency Pump 1	5BHP Dual-Speed	5BHP Dual-Speed	5BHP Dual-Speed	2BHP Dual-Speed
High-Efficiency Pump 2	5BHP Single-Speed	5BHP Single-Speed	NA	NA
Stainless Steel True Heater	4kW	4kW	4kW	1kW/4kW
Operating Voltage	240V	240V	240V	120/240V Plug & Play
LED Water Column Feature	Triple	Triple	Double	Double
Filtration, Telescopic Floating Weir	50 sq ft	50 sq ft	50 sq ft	50 sq ft
Whisper Quiet Sound Insulation	Standard	Standard	Standard	Standard
Industrial-Strength Galvanized Steel Frame	Standard	Standard	Standard	Standard
DURA-BASE® Foundation	Standard	Standard	Standard	Standard
Cabinets: • Coastal Gray • Mocha Brown	Standard	Standard	Standard	Standard
Strong-Bond Shell: Sterling Silver	Standard	Standard	Standard	Standard
Exterior Sconce LED Package	Standard	Standard	Standard	Standard
Interior LED Package	LED Headrests + Underwater LED + LED Controls + LED Cup Holders + Cabinet LEDs	LED Headrests + Underwater LED + LED Controls + LED Cup Holders + Cabinet LEDs	LED Headrests + Underwater LED + LED Controls + LED Cup Holders + Cabinet LEDs	LED Headrests + Underwater LED + LED Controls + LED Cup Holders + Cabinet LEDs
UV/Ozone Dual Sanitation System	Standard	Standard	Standard	Standard
Oversized Extreme Performance Fabric Cover (Manual) with Stainless Steel Integrated ULTRASTRONG™ Cover Lift	Standard	Standard	Standard	Standard
Sound System: Bluetooth-Ready, Subwoofer, 2 Shell Speakers	Optional	Optional	Optional	Optional
Acrylic Shell Color Upgrade: • Tuscan Sun • Storm Clouds • Midnight Canyon	Optional	Optional	Optional	Optional



EMBARK SPAS

Address your entry-level acrylic spa needs with Strong Spas' Embark Series. Four models offer double-lounger, single-lounger and non-lounger seating arrangements. Built with our StrongBond® acrylic shells, stainless steel heater and jets, and an ozone sanitation system these 240V spas prioritize quality and affordability.



STRONG-BOND® SPA SHELLS

- One of the industry's strongest and thickest triple-layered shell designs
- Co-extruded ABS laminate allows for better color consistency and dramatic reduction in delamination
- No roll-out air pocket issues
- Strong tensile strength (sag resistance)
- Exothermal adhesion of rigidizing layer
- Environmentally-friendly process
- Employee health friendly vs fiberglass which emits toxic VOCs
- Styrene-Free!



EMBARK™ SERIES	E90DL	E90L	E70L	E70
Spa Body Dimensions WxLxH (inches)	91x91x36	91x91x36	85x85x36	85x85x36
Dry Weight	800 lbs.	800 lbs.	657 lbs.	657 lbs.
Filled Weight	4600 lbs.	4600 lbs.	4050 lbs.	4050 lbs..
Seats	5-6	6-7	5-6	6-7
Jets	90 Jets	90 Jets	70 Jets	70 Jets
Seating	Double-Lounger	Single-Lounger	Single-Lounger	Non-Lounger
Cool-Down Seat	1	N/A	1	1
Entry Step	Yes	N/A	Yes	Yes
Water Capacity	Approx. 450 USG	Approx. 450 USG	Approx. 400 USG	Approx. 400 USG
High-Efficiency Pump 1	5BHP Dual-Speed	5BHP Dual-Speed	5BHP Dual-Speed	5BHP Dual-Speed
High-Efficiency Pump 2	5BHP Single-Speed	5BHP Single-Speed	5BHP Single-Speed	5BHP Single-Speed
Blower Pump	Included	Included	N/A	N/A
Stainless Steel True Heater	5.5kW	5.5kW	4kW	4kW
Operating Voltage	240V	240V	240V	240V
LED Water Feature	Cascade	Cascade	Large LED Waterfall	Large LED Waterfall
Filtration, Telescopic Floating Weir	50 sq ft	50 sq ft	50 sq ft	50 sq ft
Whisper Quiet Sound Insulation	Standard	Standard	Standard	Standard
Cabinets: • Outerbanks • Sonoma Redwood	Standard	Standard	Standard	Standard
Strong-Bond Acrylic Shell: Sterling Silver	Standard	Standard	Standard	Standard
Exterior Sconce LED Package	Standard	Standard	Standard	Standard
Interior LED Package	Underwater LED + LED Controls	Underwater LED + LED Controls	Underwater LED + LED Controls	Underwater LED + LED Controls
Ozone Sanitation System	Standard	Standard	Standard	Standard
Heavy-Duty, Tapered, Insulated Vinyl Soft Cover	Standard	Standard	Standard	Standard
Sound System: Bluetooth-Ready, Subwoofer, 2 Shell Speakers	Optional	Optional	Optional	Optional
UV/Ozone Dual Sanitation System	Optional	Optional	Optional	Optional
Acrylic Shell Color Upgrade: • Tuscan Sun • Storm Clouds • Midnight Canyon	Optional	Optional	Optional	Optional




G-2 LEGEND with FOLDAWAY STEPS & TOWEL HOLDER

G-2 SPAS

Durability, features and affordability are the marks of our ever-popular G-2 Series. Strong Spas' innovative engineering is showcased in the DURA-SHIELD® HardCover and integrated step & towel holder features available on the G-2 line, available in hardwired and plug & play models.



DURA-SHIELD® HardCover
 EXCLUSIVE, PATENTED AND GUARANTEED
 Strong Spas' innovative, patented, integrated cover technology is our legacy and crowning achievement. Robust, stainless steel hardware anchors our DURA-SHIELD® HardCover with integrated ULTRA-STRONG® Manual Lifter System. This cover is so easy to open and close it is the solution to all spa cover worries.



G-2 DIAMOND with BUILT-IN ICE BUCKET



G-2™ SERIES	G-2L DIAMOND 36-Jet	G-2B DIAMOND 36-Jet	G-2 LEGEND 36-Jet	G-2L DIAMOND 28-Jet	G-2B DIAMOND 28-Jet	G-2 LEGEND 28-Jet
Spa Body Dimensions WxLxH (inches)	74 x 74 x 32	74 x 74 x 32	74 x 74 x 32	74 x 74 x 32	74 x 74 x 32	74 x 74 x 32
Dry Weight	425 lbs.	425 lbs.	425 lbs.	425 lbs.	425 lbs.	425 lbs.
Filled Weight	2915 lbs.	2915 lbs.	2915 lbs.	2915 lbs.	2915 lbs.	2915 lbs.
Seats	6	7	6	6	7	6
Jets	36 Jets	36 Jets	36 Jets	28 Jets	28 Jets	28 Jets
Seating	Lounger	Non-Lounger	Lounger	Lounger	Non-Lounger	Lounger
Water Capacity	Approx. 300 USG	Approx. 300 USG	Approx. 300 USG	Approx. 300 USG	Approx. 300 USG	Approx. 300 USG
High-Efficiency Pump	5BHP	5BHP	5BHP	2BHP	2BHP	2BHP
Stainless Steel True Heater	4kW	4kW	4kW	1kW/4kW	1kW/4kW	1kW/4kW
Operating Voltage	240V	240V	240V	120/240V Plug & Play	120/240V Plug & Play	120/240V Plug & Play
Digital Control Panel	Standard	Standard	Standard	Standard	Standard	Standard
Filtration, Telescopic Floating Weir	50 sq ft	50 sq ft	50 sq ft	50 sq ft	50 sq ft	50 sq ft
Unique Feature	Built-In Ice Bucket with Lid	Built-In Ice Bucket with Lid	Foldaway Steps and Towel Holder	Built-In Ice Bucket with Lid	Built-In Ice Bucket with Lid	Foldaway Steps and Towel Holder
Dual LED Water Columns	Standard	Standard	Standard	Standard	Standard	Standard
Foam Insulation	Standard	Standard	Standard	Standard	Standard	Standard
Interior LED Package	Underwater LED + LED Controls + 8 LED Points of Light	Underwater LED + LED Controls + 8 LED Points of Light	Underwater LED + LED Controls + 8 LED Points of Light	Underwater LED + LED Controls + 8 LED Points of Light	Underwater LED + LED Controls + 8 LED Points of Light	Underwater LED + LED Controls + 8 LED Points of Light
Integrated Foundation	Standard	Standard	Standard	Standard	Standard	Standard
Resin Spa Unibody / Panel Colors	<ul style="list-style-type: none"> • Gray/Black Faux Wood • Cobblestone/Portobello Faux Rock 	<ul style="list-style-type: none"> • Gray/Black Faux Wood • Cobblestone/Portobello Faux Rock 	<ul style="list-style-type: none"> • Cobblestone/Portobello Faux Rock only 	<ul style="list-style-type: none"> • Gray/Black Faux Wood • Cobblestone/Portobello Faux Rock 	<ul style="list-style-type: none"> • Gray/Black Faux Wood • Cobblestone/Portobello Faux Rock 	<ul style="list-style-type: none"> • Cobblestone/Portobello Faux Rock only
Ozone Sanitation System	Standard	Standard	Standard	Standard	Standard	Standard
Color-Coordinated DURA-SHIELD® HardCover with Stainless Steel Integrated ULTRASTRONG™ Cover Lift Assist	Standard	Standard	Standard	Standard	Standard	Standard



DURASPORT SPAS

Compact, durable and well-appointed, these rotationally molded spas boast quality components and innovative engineering. These spas come equipped with adjustable, oversized, multiport designer two-tone stainless steel jets for targeted hydrotherapy, comfortable headrests, digital control panels and LED controls.

O-22 EXCLUSIVE FEATURE: DETACHABLE TRAY



TR-26 EXCLUSIVE FEATURE: WATERFALL/HANDLE





DURASPORT™	TR-26	O-22
Spa Body Dimensions (inches)	85x85x32	95x52x35
Dry Weight	382 lbs.	303 lbs.
Filled Weight	2850 lbs.	1900 lbs.
Seats	Up to 3	Up to 2
Jets	26 Jets	22 Jets
Seating	Lounger	Non-Lounger
Water Capacity	Approx. 295 USG	Approx. 190 USG
High-Efficiency Pump	2BHP	2BHP
Stainless Steel True Heater	1kW/4/kW	1kW/4/kW
Operating Voltage	120/240V Plug & Play	120/240V Plug & Play
Digital Control Panel	Standard	Standard
Filtration, Telescopic Floating Weir	20 sq ft	35 sq ft
Unique Feature	Dual Function Waterfall/Handle	Matching, Removable Tray
Oversized, Multiport Hydrotherapy Jets	Standard	Standard
Foam Insulation	Standard	Standard
Headrests	2	2
Interior LED Package	Underwater LED + LED Controls	Underwater LED + LED Controls
Resin Spa Unibody / Panel Colors	<ul style="list-style-type: none"> • Gray/Charcoal Faux Rock • Cobblestone/Espresso Faux Wicker 	<ul style="list-style-type: none"> • Gray/Charcoal Faux Rock • Cobblestone/Espresso Faux Wicker
Ozone Sanitation System	Standard	Standard
Heavy-Duty, Tapered, Insulated Vinyl Soft Cover	Standard	Standard



VR VACATION RENTAL SERIES

DURABLE ROTO MODEL +
 LOW-MAINTENANCE ACRYLIC MODELS
 + DURA-SHIELD® HARDCOVER
 Built to last! Lifetime Warranty!



DURA-SHIELD® HardCover
 EXCLUSIVE, PATENTED AND GUARANTEED
 Strong Spas' innovative, patented, integrated cover technology is our legacy and crowning achievement. Robust hardware anchors our DURA-SHIELD® HardCover with integrated ULTRASTRONG® Manual Lifter System. This cover is so easy to open and close it is the solution to all spa cover worries.



PRE-SET LOCKABLE CONTROLS

WIFI ACCESS FOR WORRY-FREE REMOTE MANAGEMENT

NO HEADRESTS TO REPLACE

BUILT IN DURA-BASE® FOR EASE OF INSTALLATION & STRUCTURAL INTEGRITY

NO DIVERTERS OR AIR CONTROLS




VR-VACATION RENTAL	VR9100 ACRYLIC 80-JET	VR8500 L ACRYLIC 60-JET	VR8500 NL ACRYLIC 60-JET	VR7400 RESIN 28-JET
Spa Body Dimensions WxLxH (inches)	91x91x36	85x85x36	85x85x36	74.5x74.5x32
Dry Weight	800 lbs.	650 lbs.	650 lbs.	425 lbs.
Filled Weight	4600 lbs.	3482 lbs.	3482 lbs.	2915 lbs.
Seats	Up to 6	Up to 5	Up to 6	Up to 6
Jets	80 Jets	60 Jets	60 Jets	28 Jets
Seating	Non-Lounger	Single-Lounger	Non-Lounger	Lounger
Cool-Down Seat	1	1	1	N/A
Entry Step	Yes	Yes	Yes	N/A
Water Capacity	Approx. 450 USG	Approx. 400 USG	Approx. 400 USG	Approx.300 USG
High-Efficiency Pump 1	2-Spd Energy-Saver 5BHP	2-Spd Energy-Saver 5BHP	2-Spd Energy-Saver 5BHP	2-Spd Energy-Saver 5BHP
High-Efficiency Pump 2	5BHP Single-Speed	5BHP Single-Speed	5BHP Single-Speed	N/A
Stainless Steel True Heater	4kW	4kW	4kW	4kW
Operating Voltage	240V	240V	240V	240V
LED Water Feature	Cascade	Cascade	Cascade	N/A
Maintenance Simplicity Package No pillows! No Air or Water Controls!	Standard	Standard	Standard	Standard
Lockable Topside	Standard	Standard	Standard	Standard
Filtration, Telescopic Floating Weir	50 sq ft	50 sq ft	50 sq ft	50 sq ft
Whisper Quiet Sound Insulation	Standard	Standard	Standard	Standard
DURA-BASE®	Standard	Standard	Standard	Unibody Cabinet/Base
Cabinet Colors	<ul style="list-style-type: none"> • Coastal Gray • Mocha Brown 	<ul style="list-style-type: none"> • Coastal Gray • Mocha Brown 	<ul style="list-style-type: none"> • Coastal Gray • Mocha Brown 	<ul style="list-style-type: none"> • Cobblestone with Portobello Rock
Strong-Bond Shell: Sterling Silver	Standard	Standard	Standard	N/A
Exterior Sconce LED Package	Standard	Standard	Standard	N/A
Interior LED	Underwater LED	Underwater LED	Underwater LED	Underwater LED
Sanitation System	UV/Ozone Dual System	UV/Ozone Dual System	UV/Ozone Dual System	Ozone only
DURA-SHIELD® HardCover with Black Powder-Coated Steel Integrated ULTRA-STRONG™ Cover Lift Assist	Standard	Standard	Standard	Standard
WiFi Remote Management	Standard	Standard	Standard	Standard
Steps	Black steps included	Black steps included	Black steps included	Integrated Steps/Towel Holder feature
Acrylic Shell Color Upgrade: <ul style="list-style-type: none"> • Tuscan Sun • Storm Clouds • Midnight Canyon 	Optional	Optional	Optional	N/A
Sound System: Bluetooth-Ready, Subwoofer, 2 Shell Speakers	Optional	Optional	Optional	N/A



FT SERIES

Well-appointed, yet remarkably well-priced, the FT Series acrylic spas reflect a unique engineering partnership. This series provides all-encompassing hydrotherapy in double-lounger, single-lounger and non-lounger seating arrangements. With first-rate components, sleek acrylic shells, stainless steel jets, and an ozone sanitation system these models prioritize features and affordability. All FT Series hot tub models are equipped with steel frames, ABS foundations, Bluetooth stereos, circulation pumps, headrests, LED water features and brilliant LED interior lighting packages.





FT™ SERIES	FT700/710 HOT TUB	FT500/510 HOT TUB	FT300/310 HOT TUB	AMC-1550 HOT TUB
Loading Capacity	12	12	12	14
Dimensions (inches)	91x91x36	85x85x36	79x79x36	89x61x31
Dry Weight	925 lbs.	838 lbs.	728 lbs.	683 lbs.
Filled Weight (lbs.)	4410	4025	3108	2434
Seats	6-7	6-7	6-7	2
Jets	65 Jets	49 Jets	40 Jets	42 Jets
Seating	Single-Lounger or Non-Lounger	Single-Lounger or Non-Lounger	Single-Lounger or Non-Lounger	Double-Lounger
Water Capacity	410 USG	375 USG	280 USG	206 USG
High-Efficiency Pump(s)	3 x 4BHP 1-Speed	2 x 4BHP 1-Speed	1 x 4BHP 1-Speed	1 x 4BHP 1-Speed
Circulation Pump	Standard	Standard	Standard	Standard
Stainless Steel True Heater	Standard	Standard	Standard	Standard
Operating Voltage	240V	240V	240V	240V
Water Feature	Standard	Standard	Standard	Standard
Filtration, Skimmer	2 Filters	2 Filters	2 Filters	2 Filters
High Density Spa Foam Insulation	Standard	Standard	Standard	Standard
Industrial-Strength Steel Frame	Standard	Standard	Standard	Standard
ABS Foundation	Standard	Standard	Standard	Standard
Cabinet: Dark Gray	Standard	Standard	Standard	Standard
Acrylic Shell:	<ul style="list-style-type: none"> • Silver Marble • Midnight Opal 	<ul style="list-style-type: none"> • Silver Marble • Midnight Opal 	<ul style="list-style-type: none"> • Silver Marble • Midnight Opal 	<ul style="list-style-type: none"> • Silver Marble • Midnight Opal
Interior LED Package	Underwater LED + Waterline LEDs	Underwater LED + Waterline LEDs	Underwater LED + Waterline LEDs	Underwater LED + Waterline LEDs
Ozone Sanitation System	Standard	Standard	Standard	Standard
Heavy-Duty, Insulated Vinyl Soft Cover	Standard	Standard	Standard	Standard
Sound System: Bluetooth-Ready, 2 Speakers	Standard	Standard	Standard	Standard



Contact your sales representative
or reach out to us at dealer.resources@strongspas.com